



	ALLOWED	PROPOSED
MAXIMUM EXIT TRAVEL DISTANCE (T) IBC 2012 TABLE 1016.2	200'	38'-2"
MAXIMUM COMMON PATH OF TRAVEL DISTANCE (t) IBC 2012 TABLE 1014.3	75'	27'-1"

OCCUPANT LOAD MEZZANINE	MIN. EGRESS WIDTH REQUIRED	MIN. EGRESS WIDTH PROPOSED
A-3 - ASSEMBLY: 317sf/7= 45 PEOPLE		
S-2 - MECH/STORAGE: 206sf/300= 1 PERSON		
TOTAL = 46 PEOPLE x .2" = 9"	9"	36"

SECOND FLOOR EGRESS PLAN
SCALE: 3/32"=1'-0"



civil Macris, Hendricks and Glascock, P.A. T 301.670.0840

Delizzio Seligson Architects Delizzio Architects & Planners P.C.

mep AC-DC ENTERPRISE LLC

T: (301) 424-8944

delizzioarch@aol.com

structural A+F Engineers T 202.628.1600

T 703.944.6146

St Andrew Church

9111 River Road Potomac MD 20854



Professional Certification.

I hereby certify that these documents were prepared or approved by me, and that I am a duly licensed architect under the laws of the State of Maryland.

License No.: A5116
Expiration Date: 02.24.2021

© 2019 st andrew church space shop LLC

This project is protected by copyright laws and international treaties

egress Plans

DATE

SCALE

AS NOTED

A005